

For NCSA Contract Purchases:

Please send copy of P.O. reflecting contract bid # to Amick & NCSA. NCSA: kmitman@ncsheriffs.net

Link: NCSA Terms & Conditions

NCSA CONTRACT # 22-06-0426

END USER: HARTSVILLE, CITY OF

CONTACT: WESLEY MILES & VINCENT BROCK

BODY INSTALL NEW WAY TRUCKS

LOCATION: 101 STATE ST., SCRANTON, IA 51462

Chassis Description

MODEL: 2022 MACK TE64R

GVWR: 66000 LBS

ENG & TRAN: MACK MP7-355A - 355HP, 1260 LB-FT / ALLISON 4500 RDS

PAINT: WHITE

COMMENTS: SEE CHASSIS SPECIFICATIONS FOR COMPLETE DETAILS.

EXTENDED WARRANTIES:

ENGINE PLAN 2 & AFTERTREATMENT EATS:

60 / 250K MILES

ALLISON 60 / UNLIMITED MILES

Body Description

MODEL: NEW WAY MAMMOTH 40 YD

BODY PAINT: WHITE

BODY WARRANTY: NEW WAY: 1 YR BODY & HYDRAULIC, 2 YR CYLINDER

STANDARD EQUIPMENT INCLUDED

COMPLETE FACTORY MOUNT

FRONT MOUNT VANE PUMP - DENISON LONG LIFE
NOTE: REQUIRES FRONT ENGINE PTO PROVISIONS
LED BODY LIGHTS INCLUDING REVERSE AND LICENSE PLATE

CENTER MOUNT BRAKE (I.D. CLUSTER)

OVER HEIGHT WARNING LIGHT - PROVIDES VISUAL ALERT WHEN ARMS/FORKS ARE ABOVE CAB

FIRE EXTINGUISHER - 10LB

DUAL CAMERA SYSTEM W/7" COLOR FLAT SCREEN MONITOR, SV - 1) BACK UP CAMERA 2)

ACRYLIC URETHANE ENAMEL (WHITE PAINT IS STANDARD)

BODY ROOF 10GA 80K BODY SIDES 1/8" AR450 BODY FLOOR 3/16" AR235

HOPPER SIDES (LOWER) 3/16" AR450

HOPPER FLOOR 1/4" AR450
TAILGATE BUBBLE 10 GA AR450
PACKER PANEL LOWER FACE 1/4" AR450

PACKER PANEL LOWER FACE 1/4" AR450 PACKER PANEL SLOPED FACE 1/4" AR450

STEEL CANOPY

FRONT SUMP W/ DUAL CLEAN OUT DOORS

FILTER BY-PASS VISUAL INDICATOR ON FILTER HOUSING

OIL TANK WITH IN TANK FILTRATION

QUICK DISCONNECT PORT FOR PRESSURE GAGE

SINGLE HANDLE QUAD CONTROL JOYSTICK - AIR CONTROLS

8,000LB. LIFT RATING ARMS

FORK THICKNESS 1 1/4" 100K WITH HOOK (44" USABLE BUMPER TO HOOK)

SLIDING ACCESS DOOR (FIBERGLASS)

2-YEAR CYLINDER, 1-YEAR BODY, 1-YEAR HYDRAULIC

OPTIONAL UPGRADES AND ACCESSORIES INCLUDED

UPGRADE FRONT FORK THICKNESS 1 1/2" 100K STEEL $\,$ WITH 48" USABLE BUMPER TO HOOK

LIGHT WEIGHT SERVICE HOIST FRONT MOUNT VANE PUMP

LED HIGH INTENSITY WORK LIGHTS (2 LIGHTS IN HOPPER AND 1 ON CANOPY)

STROBE LIGHT PACKAGE (INTEGRATED STROBE SYSTEM WITH TURN SIGNALS- 2 ROUND LIGHTS

MOUNTED IN UPPER TAILGATE

STROBE LIGHT PACKAGE (INTEGRATED STROBE SYSTEM WITH TURN SIGNALS- 2 ROUND LIGHTS

MOUNTED IN LOWER TAILGATE 20 LB. FIRE EXTINGUISHER

TWO CAMERA SYSTEM WITH 7" COLOR FLAT SCREEN MONITOR WITH CENTER TAILGATE

CAMERA AND BULKHEAD CAMERA. SAFETY VISION

HOUR METER ON PTO

QUICK DISCONNECT PRESSURE GAUGE

SHOVEL/ BROOM RACK MOUNTED ON BACK SIDE OF FRONT BULKHEAD SCREEN

UPGRADED BODY FLOOR 1/4" T-1 AR STEEL

UPGRADED PACK/EJECT PANEL - CONSTRUCTION GRADE SPEC

FORK LIMITER - PREVENTS FORKS FROM ROTATING PAST HORIZONTAL.

REMOTE GROUND LEVEL GREASE ZERKS - TAILGATE HINGE & TAILGATE CYLINDER

LOCAL OPTIONS INCLUDED

REMOVE SERVICE HOIST - INCOMPATIBLE WITH PUSHER LIFT AXLE

** LIFT AXLE - PUSHER STYLE. LOCAL INSTALLATION

DEALER SERVICES INCLUDED

FREIGHT TO AMICK EQUIPMENT

PDI & ONE (1) LOCAL MOVE TO TRUCK DEALER OR END USER

AECI MOBILE ON-SITE WARRANTY PKG., 1 YR ON-SITE TRAINING - PROVIDED BY REQUEST

DELIVERY INSTRUCTIONS

AECI DELIVERS DIRECTLY TO END USER.

COMMENTS: STOCK UNIT - Subject to prior sale.

Contract Price

 Unit Subtotal:
 \$ 297,395.00

 Contract Discount:
 \$ (9,161.58)

 Additional Discount:
 \$ (8,398.12)

 Unit Subtotal:
 \$ 279,835.31

Tax - Federal Excise - 12%: Not Applicable
Tax - Motor Vehicle: Not Included *

* AECI doesn't collect MV Tax

Unit Purchase Price: \$

Estimated Completion: 20

Days after receipt of ORDER

279,835.31

*PLEASE NOTE: ETAs based on current production schedules at time of quote and are subject to change.

**
ETA does not include installation of lift axle. Lift axle ETA still being determined.

QUOTED BY: MATT GARON

DATE: 8/20/2021 **VALID UNTIL:** 9/19/2021

ORDER CONFIRMATION

SIGNATURE DATE

Signature indicates customer's commitment to purchase equipment per specifications, pricing & terms above. Please clearly identify any additional options you wish to order.

ADDITIONAL OPTIONS: Prices shown in "additional options available" section are not included in the "Total" price and do not include taxes.

TAXES: Unless itemized above, prices do not include local, state or federal taxes.

MOTOR VEHICLE TAXES: AECI no longer collects SC "IMF" or NC "Highway Use Tax". Either the chassis dealer or the DMV will collect motor vehicle tax/fees when registering vehicle.

PAYMENT TERMS: Payment is due PRIOR to delivery. When ample credit has been extended to customer, payment is due 15 DAYS after delivery.

TITLEWORK / MCO: Allow 5-10 days after receipt of payment to process Title or Manufacturer's Certificate of Origin (MCO).

QUOTE EXPIRATION: Pricing is honored for 30 days from date quoted, barring extenuating circumstances such as, but not limited to, volatile markets, factory price increases, etc. AECI makes every effort to give as much notice as possible in such instances.

DELIVERY ESTIMATES: ETA's are based on production schedules at the time of quote and are subject to changes in truck or body production schedules as well other factors such as transportation delays, etc.

WEIGHT RESTRICTIONS: Operating overweight equipment can result in fines, damage to equipment or injury to operators. AECI makes every effort to quote equipment meeting local, state & federal weight regulations. Nevertheless, it is up to the end user to familiarize themselves with all applicable weight laws and avoid exceeding legal weight limits, regardless of truck's GVWR. CHASSIS DEALERS: Please ensure chassis specs meet body manufacturer's minimum requirements, which are supplied upon request. Deviations may result in additional charges, for which the truck dealer will be responsible.

CHASSIS DEALER PAYMENT TERMS: Payment term begins when truck is delivered to customer or truck dealer for PDI, whichever is first. Payments received later than 15 DAYS are subject to penalty of 5% APR, calculated on a daily basis. ANY EXCEPTIONS must be agreed to writing prior to order.

MANNACTH SERIES






STOMPING THE INDUSTRY

Designed with one-piece body side construction, a curved shell, for superior strength and streamlined appearance, the New Way® MammothTM Front Loader comes equipped with the strongest steel specs in the industry. In addition, heavy-duty, AR450 arm skins w/ 100ksi arm bars constructed arms, torque tube assembly and Pack-on-the-Go features maximize route and labor efficiency.

MAMMOTH





GENERAL SPECIFICATIONS

Model	34	40	43
Body Capacity	22 yd³	28 yd³	31 yd³
Hopper Capacity	12 yd³	12 yd³	12 yd³
Body Width (A)	101.5"	101.5″	101.5"
Body Height (B)	119.5″	119.5″	119.5″
Body Length (C)	264"	300″	315″
Body Length Arms Down	381″	417"	432″
Body Height Arms Down	110.75″	110.75″	110.75″
Body Length Overall	421″	457"	472"
*Approx. Body Weight	16,500 lbs	17, 200 lb s	17,400 lbs

MINIMUM CHASSIS SPECIFICATIONS

**Wheelbase	180-182"	208-210"	208-210"
Front Axle	20,000 lbs	20,000 lbs	20,000 lbs
Rear Axle	36,000 lbs	44,000 lbs	44,000 lbs
Total GVWR	56 000 lbs	64 000 lbs	64 000 lbs

HYDRAULIC CYLINDER SPECIFICATIONS

Pack Cylinders 3-Stage (2)	6.5"	6.5"	6.5"	
Arm Cylinder (2)	4.5"	4.5″	4.5"	
Fork Cylinder (2)	3.5"	3.5″	3.5″	
Hopper Cover Cylinder	2.5"	2.5"	2.5"	
Tailgate Cylinder	3″	3″	3″	

BODY CONSTRUCTION

Body Sides	½″	AR450
Body Roof	10 gauge	80K
Body Floor	³/16 "	AR235
Hopper Sides	³/16"	AR450
Hopper Floor	1/4"	AR450
Packer Plate	3/16 "	AR450
Tailgate	⅓″	AR450
Forks	1 1/4"	100K
Arm Lift Capacity	8,000 lbs	

HYDRAULIC SYSTEMS

Operating Press. (6.5")	2,450 psi
Pump Flow	55 gpm
Oil Reservoir	70 gal
Packing Force	132,732 lbs
Packer Cycle Time	25 secs.
Loader Arm Cycle	13 secs.
Hydraulic Hoses	4-to-1 burst
Return Filter	10 micron

STANDARD EQUIPMENT

- Air joystick control
- Denison vane pump
- Auto-lock tailgate
- All LED lights
- Curved shell body
- Sliding hopper door
- Body side ladder
- Dual camera system
- Automatic packer
- Automant packer
- Finish paint white
- Mounting
- Pack-on-the-Go
- Air over hydraulic
- Hopper side access door
- Full ejection body
- Rear body sump with curved floor (145 gal)
- Dual sump clean out doors

OPTIONAL EQUIPMENT

- Special lighting
- Outside controls
- 10,000 lb arm capacity
- Container disinfectant sprayer
- Pressure line filter
- Service hoist
- Color code paint
- Electric valve

** Wheelbase will vary depending on chassis and additional axles.











^{*} Approximate Body Weight empty and exclusive of options. All models and specifications subject to change.