

City of Hartsville Fire Department


Hartsville, SC

This report was generated on 3/7/2023 12:13:11 PM



Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 02/01/2023 | End Date: 02/28/2023



MAJOR INCIDENT TYPE	# INCIDENTS	% of TOTAL
Fires	11	8.46%
Rescue & Emergency Medical Service	70	53.85%
Hazardous Condition (No Fire)	3	2.31%
Service Call	2	1.54%
Good Intent Call	32	24.62%
False Alarm & False Call	12	9.23%
TOTAL	130	100%

Only REVIEWED and/or LOCKED IMPORTED incidents are included. Summary results for a major incident type are not displayed if the count is zero.



Detailed Breakdown by Incident Type

INCIDENT TYPE	# INCIDENTS	% of TOTAL
120 - Fire in mobile prop. used as a fixed struc., other	1	0.77%
140 - Natural vegetation fire, other	3	2.31%
142 - Brush or brush-and-grass mixture fire	3	2.31%
143 - Grass fire	2	1.54%
151 - Outside rubbish, trash or waste fire	2	1.54%
311 - Medical assist, assist EMS crew	54	41.54%
322 - Motor vehicle accident with injuries	5	3.85%
324 - Motor vehicle accident with no injuries.	9	6.92%
331 - Lock-in (if lock out , use 511)	1	0.77%
352 - Extrication of victim(s) from vehicle	1	0.77%
411 - Gasoline or other flammable liquid spill	1	0.77%
412 - Gas leak (natural gas or LPG)	1	0.77%
444 - Power line down	1	0.77%
553 - Public service	2	1.54%
600 - Good intent call, other	3	2.31%
611 - Dispatched & cancelled en route	23	17.69%
622 - No incident found on arrival at dispatch address	3	2.31%
651 - Smoke scare, odor of smoke	3	2.31%
700 - False alarm or false call, other	3	2.31%
711 - Municipal alarm system, malicious false alarm	1	0.77%
734 - Heat detector activation due to malfunction	1	0.77%
735 - Alarm system sounded due to malfunction	1	0.77%
743 - Smoke detector activation, no fire - unintentional	5	3.85%
745 - Alarm system activation, no fire - unintentional	1	0.77%
TOTAL INCIDENTS:	130	100%

Only REVIEWED and/or LOCKED IMPORTED incidents are included. Summary results for a major incident type are not displayed if the count is zero.

